



MB6001

BENZ REAL WHEEL BEARING REMOVER / INSTALLER (W140, W126, W124)

- Used for R & R rear wheel bearing located in wheel carrier.
- This tool can also be used to install the rear axle shaft flange.
- Applicable: Model W140, W126, W124



MB6002

BENZ REAR WHEEL BEARING REMOVER / INSTALLER (W210)

- Used for R & R rear wheel bearing located in wheel carrier.
- This tool can also be used to install the rear axle shaft flange.
- Applicable: Model W210



MB6003

BENZ REAR WHEEL BEARING REMOVER / INSTALLER (W202, W170)

- Used for R & R rear wheel bearing located in wheel carrier.
- This tool can also be used to install the rear axle shaft flange.
- Applicable: Model W202, W170



MB6004

BENZ BUSH REMOVER / INSTALLER (W140, W124, W201, W129, W210)

- Removal and replacement tool for metallic bushes on rear axles.
- Applicable: W140, W124, W201, W202, W129, W210



MB6005

BENZ BUSH EXTRACTOR (W124, W201)

- For replacement of the differential mounting metallic bushes in the rear sub-frame.
- Replacement of the mounting bushes without removal of the differential.
- Applicable: W124, W201






MB6006

BENZ CAMSHAFT ALIGNMENT TOOL (M112, M113)

- Holds the camshaft in 40 degree. TDC position (left / right side)
- Applications: Benz M112, M113.



MB6007

BENZ BALL JOINT REMOVER / INSTALLER (W220, W211, W230)

- To remove and install front lower control arm ball joint with the special C clamp.
- Using on car.
- Application : BENZ W220, W211, W230



MB6009

BENZ INJECTOR NOZZLE PULLER (OM611,,612, 613)

- 8pcs Professional Master Diesel Injector Extractor Set With Common Rail Adaptor Slide Hammer Injection Puller CDI Tool Kit Set.
- This high quality tooling is designed for the removal of stuck and seized injectors.
- Applicable: BENZ CDi 611, 612, 613, 646, 647, 648 etc diesel engine.
- Total length : 350mm (L)
- * Contents:
M17 x 1.0 adaptor
M27 x 1.0 adaptor
M12 x 1.75 adaptor



MB6010

BENZ ALIGNMENT TOOLS SET (M271)

- This retaining device makes it possible to position the camshafts in the installed position.
- Retainer to draw in the timing chain. To retain timing chain with camshaft sprockets in mesh
- Applicable : Benz M271



MB6011

BENZ TIMING TOOLS SET (M270/274)

- Part of the laser tools engine timing tool range for Mercedes Benz.
- Specifically designed for vehicles fitted with the chain driven 1.6/2.0 direct injection petrol engine.
- Application : Mercedes Benz M133, M270, M274. These engine are found in the late A class, B class CLA, C Class and E class vehicle.

**Picture shown are for reference only*



MB6111

BENZ REAR WHEEL BEARING REMOVER & INSTALLER (W124, W129, W201, W202)

- This precision machined tools is used for removing and replacing the rear wheel bearing found on Mercedes Benz rear axles .
- This tool is also used for the installation of the rear axle flange.
- Applicable : W124, 129, 201 & 202.



MB6112

BENZ SEAL TOP AIR SUSPENSION STRUT (W220)


- This tool is for changing the top seal in air suspension.
- Fix suspension strut to a vise.
- Set 3 legs onto stub bolts in strut.
- Drive the contour forcing screw to compress the seal cup and replace the seal.
- Application: BENZ W220



MB6113

BENZ SLEEVE, ASSEMBLY DEVICE & ASSEMBLY FIXTURE

- (1) For circlip on spring retainer of clutch K1 and K2.
Applicable : Transmission 722.3, 722.4 & 722.5.
- (2) For brake band piston B1.
Applicable : All MERCEDS models 722.1, 722.3, 722.4 & 722.5.
- (3) For installing reverse gear piston K1 and K2 into external disc carrier.
Used in conjunction with tool number #M8903.
Applicable : Transmission 722.3 & 722.5.
- (4) For installing reverse gear piston in front cover.
Applicable : Transmission 722.3 & 722.5.
- (5) For installing reverse gear piston in front cover.
Applicable : Transmission 722.4.



MB 6114

BENZ SLEEVE, ASSEMBLY DEVICE & ASSEMBLY FIXTURE (722.6)

- Sleeve for installing reverse gear piston in front cover.
- Assembly fixture for circlip on spring retainer of clutch k1 and K2
- Applicable: transmission 722.6





MB6115

BENZ SLEEVE (722.3, 722.6)

- For installing reverse gear piston in front cover.
- Assembly fixture for circlip on spring retainer of clutch K1 and K2.
- Applicable: transmission 722.3 & 722.6



MB6116

BENZ SLEEVE (722.3, 722.5)

- For installing reverse gear piston K1 & K2 into external disc carrier.
- Application transmission 722.3 & 722.5



MB6117

BENZ AMG ENGINE TIMING TOOL SET (M156)

- Used to fix and align the camshaft in correct timing angle when replacing the timing belt.
- Applicable : Benz AMG 156, M159, ML63, S63L, S63, R63, E63, CLS63 And CLK63.
- MM Number : 156589006100, 156589003200.



MB6118

BENZ TIMING ALIGNMENT TOOL SET (M651)

- This retaining device is designed for positioning fixing, and turning the camshaft in correct position.
- Applicable : BENZ M651 engine (07~)
- MM Number : 651589014000, 651589004000.



MB6418

3PCS BENZ / BMW FUEL TANK SERVICE (W220)

- The tool removal The plastic Fuel tank cup.
- The special tool to removal The plastic Fuel tank cup.
- Applicable : Benz (W220), BMW Model 211/203 BMW:E36, E46



**Picture shown are for reference only*



MB6211

BENZ SPARK PLUG ELECTRIC WIRE REMOVER (V6)

- Special angle with 17mm wrench to be a lever for removing and installing the wire easily
- Applicable: Benz engine models V6.



MB6212

BENZ FAN CLUTCH TOOLS

- Special designed 3 holes to hold the stud on fan clutch assembly found on Mercedes Benz vehicles to allow release of lock nut.
- Slim handle for tight space operation.



MB6213

BENZ FAN CLUTCH TOOLS (36mm)

- Removes lock nuts on thermo-Viscous fans found on Ford, Mercedes...many vehicles.
- Made from tempered pressed steel.



MB6214

BENZ FAN CLUTCH TOOLS (65mm)

- Replaces fan clutch assembly on Mercedes Benz vehicle. Slim shaft handles let you easily work in light space.



MB6215

BENZ FAN CLUTCH HOLDER (M103, M104)

- To allow removal of the visco-coupling on the cooling fan.
- Apply on Mercedes engine M103, M104.



MB6216

FAN CLUTCH TOOLS SET (BENZ & BMW)

- Most of Mercedes Benz & BMW vehicle.
- Contents
 - * 36mm Benz Fan Clutch Tools
 - * Benz Fan clutch Holder (L-Type)
 - * Benz Fan Belt Service Wrench
 - * BMW Fan clutch Holder
 - * 65mm Benz Fan Clutch Tools
 - * Benz Fan Clutch Holder(3 Hole)
 - * 32mm BMW Fan Clutch Tools



MB6217

BENZ CHAIN LINK PRESS KIT (BENZ & BMW)

- For assembling timing chain master link.
- 1&2 Use on rivet press tool (basic unit) to rivet timing chains.
- Double Row includes:3&4.Use for pressing rivet onto outerr link .Use with rivet pressing tool 1.this set comes with 1&2&3&4.
- Single Row: 5.Applicable : BENZ 292/979,273.Use with tool 1&2&3&4 to rivet single row timing chain
- 1 Applicable :BENZ 271,272/979,273
- Applicable: BENZ Model OM 601,602,603,615,616,617,M102,103, 116 and SAAB,BMW



MB6218

BENZ CHAIN LINK INSTALL AND REMOVE TOOL SET

- The separating tool and the riveting tool allow quick, easy and safe splitting and reconnection of the timing-chains-both simplex and duplex-as well as the double-roller to be found on new Mercedes diesels from 9/95 onwards.
- Applicable : Mercedes petrol and diesel engines.



MB6317

BENZ FLYWHEEL LOCKING TOOL (M102)

- Used to fix the flywheel gear to remove & install crankshaft pulley centre bolt.
- Applications : BENZ M102, M103, M104, M111, M601, M602,M603, M606, M605, M611, M612, M613
- MM Number : 112589034000



MB6318

BENZ FLYWHEEL LOCKING TOOL (M112)

- Used to fix the flywheel gear to remove & install crankshaft pulley centre bolt.
- Applications : BENZ M112, M113, M137, M155, M156, M272, M273.
- MM Number : 112589034000



MB6319

BENZ FLYWHEEL LOCKING TOOL (M166)

- Used to fix the flywheel gear to remove & install crankshaft pulley centre bolt.
- Applications : BENZ :
A Class W169 (M166)
B Class W245 (M266, OM640)
- MM Number : 166589004000



MB6320

BENZ FLYWHEEL LOCKING TOOL (M651)

- Use to hold the flywheel gear for removing and installing the crankshaft pulley centre bolt.
- Applicable : BENZ M651.
- MM Number : 651589024000.

**Picture shown are for reference only*



MB6311

BENZ ENGINE OIL GAUGE (930MM)

- Full length : 930mm
- Balance the top of the oil gauge.
- Applicable : 103,943/ 984/985, 104, 111, 119, 120, 137, 603, 913/963/97, 604, 605, 606, 611, 612, 613, 626,



MB6312

BENZ ENGINE OIL GAUGE (930MM)

- Full length : 930mm
- The top of the oil gauge can turn back to 90 degrees.
- Applicable : 112, 113, 271, 646, 647, 648



MB6313

BENZ TRANSMISSION DIPSTICK (1220MM)

- The tool is designed to measure the oil level of transmission.
- Full length : 1220mm
- Applicable : transmission type 722.6



MB6314

BENZ TRANSMISSION DIPSTICK (920MM)

- The tool is designed to measure the oil level of transmission.
- Full length : 920mm
- Applicable : transmission type 722.7, 716.5



MB6315

BENZ TRANSMISSION HOLDER SET

- Rotating head enables engine to be placed in desired in working positions.
- Using for Benz, BMW, Volvo, AUDI ... etc.
- The blue fixed support could be fixed on the workbench or used on the engine stands



MB6316

BENZ HYDRAULIC PRESS KIT SET

- The ball joint can easily and quickly be pressed into and out of the lower wishbone.
- To remove/Install the ball joint directly on the vehicle without to dismantle the wishbone.
- Applications: Mercedes W163 (M-class) front axle / rear axle and W211 (E-class), W220(S-class), W124, W201 Front axle.



MB6411 BENZ BRAKE SPRING INSTALLER

- For pressure spring of parking brake.
- Application : All Mercedes models.



MB6412 BENZ FUEL TANK LID WRENCH (W210)

- The tool is designed to remove the plastic fuel tank lid.
- Applicable : W210



MB6413 BENZ FUEL TANK CUP WRENCH (W202)

- The tool is designed to remove the plastic fuel tank lid.
- Applicable : W202



MB6414 FUEL TANK LID WRENCH (BENZ & BMW)

- The tool is designed to remove the plastic fuel tank lid.
- Applicable: BMW: MODEL 211/203
BMW:E36.E46



MB6416 BENZ REAR AXLE FLANGE NUT SOCKET

- This special socket removes rear axle flange grooved nuts on Mercedes Benz model : 1007 114 115 1116 126 axle with CV joints when replacing axle seals and axle bearing.
- With 1/2" drive.SA.



MB6417 BENZ 4 LUG DRIVE PINION SHAFT FLANGE NUT SOCKET

- For use on Mercedes Benz models 107, 114, 115, 116 Models.
- Removes drive pinion shaft flange grooved nuts.
- With 1/2" Drive.





MB6511

BENZ SPRING COMPRESSOR FOR MERCEDES

- Types 116, 123, 124, 126, 129, 140, 201, 202 & 4matic includes.
- Advantage : Newly developed automatic 3-point safety interlock and automatic freewheel at end of stroke.



MB6512

BENZ CLUTCH SPRING COMPRESSOR (722.6)

- This tool is to setup a correct gape in transmission clutch.
- Use this tool with a hydraulic press.
- Set the clutch on press table then place this tool on it and press the spring cylinder with press to the set line on the cylinder for a correct gap.
- Application : Benz 722.6 Transmission Clutch



MB6513

BENZ CRANKSHAFT PULLEY HOLDER (M112, M113)

- For removal and replacement of the crankshaft bolt, M112 & M113 as found on E320, E430 etc...
- Applicable : M112, M113



MB6514

BENZ GUIDE RAIL PIN PULLER


- Can remove even the most stubborn pins from the cylinder head, unlike the short hammer previously used to attempt this job.
- Applicable : M102, 110, 115, 116, 117, 130, OM601, 602, 603, 615, 616 & 617



MB6515

BENZ IGNITION LOCK REMOVER

- For removal and replacement of the ignition switch retaining ring fitted to Mercedes types W129, W140, W202, W210 & W220.



MB6516

BENZ DASHBOARD SERVICES TOOL KIT

- Kit includes ignition lock remover, radio set remover and instrument cluster removing hooks.
- Suitable for most Mercedes Benz Series



**Picture shown are for reference only*



MB6517

BENZ PANEL WEDGE TOOL


- Application : BENZ all model
- Used to remove the door panels and timbers or plastic on the dashboard.



MB6518

BENZ WHEEL STUD ALIGNMENT GUIDE TOOL


- Assists when mounting wheels, especially late models with long lug bolts.
 - Applicable: All Mercedes models with lug bolts.
- Size: M12x1.5



MB6519

BENZ WHEEL STUD ALIGNMENT GUIDE TOOL


- Assists when mounting wheels, especially late models with long lug bolts.
 - Applicable: All Mercedes models with lug bolts.
- Size: M14X1.5



MB6520

BENZ IGNITION LOCK REMOVER


- For removal & replacement of the ignition switch retaining.
- Applicable: W116, W123, W124, W126, W163, W170, W202, W210 etc....



MB6521

BENZ CAMSHAFT ALIGNMENT TOOL (M111, M119)

- Holds the camshaft in 40 degree. TDC position (left / right side)
- Applications: Benz M111, M119.
- MM Number : 111589031500.



ITS12100

BENZ T100 X 1/2"DR BENZ CAMSHAFT PULLEY SOCKET (M271, M270)

- Torx T100 socket with security hole, used to remove and replace the camshaft adjuster valve with 1/2"DR
- Length : 98mm
- MM Number : 27158900100009 / 11CW.



*Picture shown are for reference only