



## ELHKS09AF

### 9PCS EXTRA LONG HEX KEY (AF)

- Plastic holder professionally designed for installation and convenience usage.
- Work in hard to reach areas.
- Faster inserting and removing.
- Material - S2

Item Code	Size (mm)	A	B
ELHK1/16	1/16	15.4	91.5
ELHK5/64	5/64	19	102.3
ELHK3/32	3/32	20.3	114.5
ELHK1/8	1/8	23.2	128.8
ELHK5/32	5/32	28.7	145.6

Item Code	Size	A	B
ELHK3/16	3/16	32.8	164.2
ELHK1/4	1/4	38	185
ELHK5/16	5/16	42.6	207
ELHK3/8	3/8	51.3	230



## ELHKS09

### 9PCS EXTRA LONG HEX KEY SET

- Plastic holder professionally designed for installation and convenience usage.
- Work in hard to reach areas.
- Faster inserting and removing.
- Material - S2

Item Code	Size (mm)	A	B
ELHK1.5	1.5	15.4	91.5
ELHK02	2	19	102.3
ELHK2.5	2.5	20.3	114.5
ELHK03	3	23.2	128.8
ELHK04	4	28.7	145.6

Item Code	Size	A	B
ELHK05	5	32.8	164.2
ELHK06	6	38	185
ELHK08	8	42.6	207
ELHK10	10	51.3	230



## ELTKS09

### 9PCS EXTRA LONG TORX KEY SET

- Plastic holder professionally designed for installation and convenience usage.
- High torque application.
- Material - S2 & heat treated.

Item Code	Size (mm)	A	B
ELTK10	T10	12.8	92
ELTK15	T15	19.4	103.6
ELTK20	T20	22	115.3
ELTK25	T25	24.5	130
ELTK27	T27	28.9	145.8

Item Code	Size	A	B
ELTK30	T30	33	165
ELTK40	T40	38.9	185.7
ELTK45	T45	43.7	207
ELTK50	T50	48.6	230



## ELTKS09T

### 9PCS EXTRA LONG TORX KEY SET (TAMPERPROOF)

- Plastic holder professionally designed for installation and convenience usage.
- High torque application.
- Special design with hole in the head to fit the special screw.
- Material - S2 & heat treated.

Item Code	Size (mm)	A	B
ELTK10T	T10	12.8	92
ELTK15T	T15	19.4	103.6
ELTK20T	T20	22	115.3
ELTK25T	T25	24.5	130
ELTK27T	T27	28.9	145.8

Item Code	Size	A	B
ELTK30T	T30	33	165
ELTK40T	T40	38.9	185.7
ELTK45T	T45	43.7	207
ELTK50T	T50	48.6	230



## TKS09-5

### 9PCS (5 START) EXTRA LONG TORX KEY SET (TAMPERPROOF)

- Plastic holder professionally designed for installation and convenience usage.
- High torque application.
- Special design with hole in the head to fit the special screw.
- Material - S2 & heat treated.
- Size : TS10, TS15, TS20, TS25, TS27, TS30, TS40, TS45 & TS50

\*Picture shown are for reference only



# SCREW & PLIERS SERIES



## HEX KEY

Item Code	SIZE (mm)	Length
HK11	11	138mm
HK12	12	138mm
HK13	13	138mm
HK14	14	155mm
HK15	15	160mm
HK16	16	170mm
HK17	17	180mm
HK19	19	200mm



## FLEXIBLE SHAFT NUT DRIVER

- Round and flexible blade, fit for hexagon head bolts, nut screws and hose clamp.

Item Code	Size (mm)
FND06	6mm
FND07	7mm
FND08	8mm

Item Code	Size (mm)
FND10	10mm
FND12	12mm



## NUT DRIVER

Item Code	Size (mm)
ND06	6mm
ND07	7mm
ND08	8mm

Item Code	Size (mm)
ND10	10mm
ND12	12mm



## FHKS08

### 8PCS FOLDING HEX KEY SET

- Convenient folding type for easy & high torque application.
- Made from Chrome Vanadium steel & heat treated.
- Contents : 2, 2.5, 3, 4, 5, 6, 8 & 10mm



## FTKS08

### 8PCS FOLDING TORX KEY SET

- Convenient folding type for easy & high torque application.
- Made from Chrome Vanadium steel & heat treated.



## CCPS6123

### 10-1/2" CRICLIP PLIERS SET

- Extra heavy-duty 10 1/2" internal circlip pliers feature replaceable tips and have a spring ratchet locking mechanism to hold circlip securely againsts tension. Offset tips make it easier to facilitate circlip.
- 10 1/2" Internal & external pliers with eight pairs of interchangeable tips.

#### Includes Eight Pairs of Tip Sizes:

- 2.75mm Tips (in Straight, 15°, 45° & 90°)
- 3.00mm Tips (in Straight, 15°, 45° & 90°)
- Length: 10 1/2"
- Spread: 3"




## CCPS6125

### HEAVY DUTY CRICLIP PLIERS SET

- Replaceable tips and spring ratchet locking mechanism to hold against snap ring tension.
- Contents : one internal snap ring plier & one external snap ring pliers.
- 3mm tips : straight, 45° & 90°.
- Capacity : 85~170mm


\*Picture shown are for reference only





### INTERNAL STRAIGHT SNAP RING PLIERS

Item Code	Length (mm)
CCP07HS	175
CCP09HS	230
CCP13HS	310





### EXTERNAL STRAIGHT SNAP RING PLIERS

Item Code	Length (mm)
CCP07SS	175
CCP09SS	230
CCP13SS	310



### INTERNAL BENT SNAP RING PLIERS

Item Code	Length (mm)
CCP07HB	175
CCP09HB	230



### EXTERNAL BENT SNAP RING PLIERS

Item Code	Length (mm)
CCP07SB	175
CCP09SB	230



### CCPS04

#### 4PCS MINI CIRCLIP PLIERS SET

- Small size pliers for work in tight areas. Service S-ring and R-ring.
- Internal or external, straight or angled.
- Ruggedly built of heat-treated chrome molybdenum steel.
- Set includes two internal snap ring pliers (one straight, one 45°) and two external snap ring pliers (one straight, one 45°)



### IP8128

#### 8-1/2" INTERNAL PLIERS (BENT)

- Capacity 10-32mm
- For hole. 1.2-2.0mm



### LRP5156

#### ANGLE TIP LOCK RING PLIERS

- The external models feature a spring for easier operation.
- Drop forged Alloy steel.
- 1" or 25mm opening at tips.
- Spreads lock rings commonly found on transmission master cylinders brakes and other applications.
- Specially designed jaws are knurled on the end to prevent slipping.
- Length : 8-1/2"



\*Picture shown are for reference only



# SCREW & PLIERS SERIES



## SDS1508

### 8PCS SCREW DRIVER SET (RUBBER HANDLE)

Item	Size	Length
SD011/2	1-1/2" (+)	38mm
SD011/2	1-1/2" (-)	38mm
SD0405	4" x 5mm (+)	100mm
SD0405	4" x 5mm (-)	100mm
SD0606	6" x 6mm (+)	150mm
SD0606	6" x 6mm (-)	150mm
SD0808	8" x 8mm (+)	200mm
SD0808	8" x 8mm (-)	200mm
SD1008	10" x 8mm (+)	200mm
SD1008	10" x 8mm (-)	200mm



## TTSD8008

### EXTRA LONG TORX SCREW DRIVER SET (TAMPERPROOF)

Size : T10 ,T15, T20, T25, T27, T30, T40 & T45

Item	Size	Length
TTSD15010	T10	150mm
TTSD15015	T15	150mm
TTSD20020	T20	200mm
TTSD20025	T25	200mm
TTSD20027	T27	200mm
TTSD20030	T30	200mm
TTSD20040	T40	200mm
TTSD20045	T45	200mm



## PLASTIC SCREW DRIVER

Item	Size	Length
SD0303P	3" x 3mm (-)	75mm
SD0403P	4" x 3mm (-)	100mm
SD0403P	4" x 3mm (+)	100mm
SD0606P	6" x 6mm (-)	150mm
SD0606P	6" x 6mm (+)	150mm
SD0803P	8" x 3mm (-)	200mm
SD0803P	8" x 3mm (+)	200mm
SD1005P	10" x 5mm (-)	250mm
SD1005P	10" x 5mm (+)	250mm



## SCREW DRIVER

Item	Size	Length
SD011/2K	1-1/2" 2Way (+/-)	38mm
SD0406K	4" x 6mm (+)	100mm
SD0406K	4" x 6mm (-)	100mm
SD0606K	6" x 6mm (+)	150mm
SD0606K	6" x 6mm (-)	150mm
SD0806K	8" x 6mm (+)	200mm
SD0806K	8" x 6mm (-)	200mm
SD1008K	10" x 8mm (+)	250mm
SD1008K	10" x 8mm (-)	250mm
SD1208K	12" x 8mm (+)	300mm
SD1208K	12" x 8mm (-)	300mm



## SDS07

### 7PCS SCREW DRIVER SET

- 1pcs 1-1/2" 2 Way Screw Driver
- 2pcs 4" x 6mm Screw Driver
- 2pcs 6" x 6mm Screw Driver
- 2pcs 8" x 6mm Screw Driver

\*Picture shown are for reference only



## LCP20 20" LOCKING CHAIN PLIERS

- Chain length : 19"
- CR-Mo jaws.
- Bodily heat-treated.
- Nickel plated.
- Function : Use the adjustable chain to clip things.



## S6128R LOCKING SHEET METAL TOOL

- Locks on to work to eliminate hand gripping.
- Makes bending, forming and crimping sheet metal easier.
- Also excellent for upholstery work.
- Material : Jaw - CR-MO , Body - CR-MO



## WELDING CLAMP PLIERS

- CR-MO Jaw bodily heat-treated welding brazed nickel plated.

Item Code	Specification
WCP09	9"
WCP11	11"



## LOCKING C CLAMP PLIERS

- CR-V Jaw, heat-treated Jaw, Nickel plated

Item Code	Specification
CCP11	11"
CCP18	18"



## LOCKING PLIERS

Item Code	Specification
LP10R	10" Straight
LP10WR	10" Jaw



## LONG NOSE LOCKING PLIERS

Item Code	Specification
LNL06	6"
LNL09	9"





## DUR3113

### DOOR UPHOLSTERY REMOVER

- For removal of plastic upholstery fasteners.
- Place tool under edge of door panel and insert into fastener and then simply pry up.



### EXTRA LONG NEEDLE NOSE PLIERS

- Manufactured from drop forged, heat treated steel with induction hardened cutting edges.
- Fully polished finish.
- Superb for use in areas with limited access.
- Non-slip foam cushion grip handles.

Item Code	Degree	Length
LNP4511	45°	275mm
LNP0011	STRAIGHT	275mm
LNP9011	90°	275mm



### LONG NOSE PLIERS

- Made of fine CRV
- Hardened and comfortable ergonomic TPR handle
- Hard, tartness, sharp and black finish
- Black and polish durable and antirust

Item Code	Length
LNP06S	150mm
LNP08S	200mm



## SJP08S

### 8" SLIP JOINT PLIERS

- Made of fine CRV
- Hardened and comfortable ergonomic TPR handle
- Hard, tartness, sharp and black finish
- Black and polish durable and antirust



## CP06S

### 6" CUTTER PLIERS

- Made of fine CRV
- Hardened and comfortable ergonomic TPR handle
- Hard, tartness, sharp and black finish
- Black and polish durable and antirust



## CP08S

### 8" COMBINATION PLIERS

- Made of fine CRV
- Hardened and comfortable ergonomic TPR handle
- Hard, tartness, sharp and black finish
- Black and polish durable and antirust



## TG5222

### 52PCS THREAD GAUGE

- 52pcs Thread plug gage stainless steel metric screw pitch 60 and 55 Degree thread measuring gage gauge.



## TRF8231

### THREAD RESTORER FILES

- Restore tool for renewing damaged thread on any diameter bolt stud, axle or shaft file both right and hand threads.
- Metric file : 0.75mm, 1mm, 1.25mm, 1.5mm, 1.75mm, 2mm, 2.5mm & 3mm  
\* #1 x 4mm (-), #2 x 6mm (-)



## SSD2-1

### STUBBY SCREWDRIVER

- Contents : 1/4"F x 1/4"M Stubby Handle.



## IDS6600

### IMPACT DRIVER SET

- Bits material : S2
- 4 Bits x 36mmL: Phillips (+) No.2 & No.3  
\* Slotted (-) 8mm, 10mm
- 2 Bits x 80mmL : Phillips (+) No.2 & No.3



## WWBP6209

### WHEEL WEIGHT BALANCE PLIERS

- Easily removes and replaces wheel weights, as well as cutting and Crimping.
- Made of heat strengthened steel .Included comfortable vinyl handle grips.
- With self-open function spring on the handle for easier operation.



## TITS308

### TYRE INSERTING TOOLS SET

- 1pcs T-Handle Insert tools.
- 1pcs T-handle spiral probe tool.
- 1pcs hex key
- 1pcs knife
- 1pcs extra insert tool.
- 1pcs extra spiral probe tool.
- 5pcs kex tyre seal